Collection no. 138 Nowra to Jervis Bay

K.H.L. Key

30.xii.1966 – 2.i.1967

30/12

444.8 Point Perpendicular. Followed
Escarna includens
road to Currarong. Tall dense heath to
6ft.

Goniaea opomaloides, Genus nov. 9 sp. 1,
449.0 Heath to 1ft, occ. plants higher, on
Psednura sp.; Escarna includens, Heide amiculi, ii,
gently sloping pale sandy soil. Scattered
Monistria concinna, Cirphula pyrrhocnemis
trunkless Xanthorrhoea.

449.2 Swampy flat with button-grass
Goniaea to 2ft opomaloides, Genus nov. 9
& heathy plants, fleading up to consolidated
sp. 1, Escarna includens, Coryphistes ruricola,
dune recovering from fire, with heath
Psednura musgravei, Heide amiculi, Acrida conica (j.),
shrubs & scattered Themeda australis to
Gastrimargus musicus (j.), Phaulacridium nanum Minyacris nana
1ft, some bare white sand. Acrida,
Phaulacridium nanum on dune.

450.1 Turned off to right (Drum & Drumsticks
road ?).

450.4. Heath, in part a little swampy,
Cirphula pyrrhocnemis, Genus nov. 9 sp. 1, Psednura
mainly to 1ft. Xanthorrhoea frequent,
musgravei
Restionaceae & shrubs, occ. patches
mallee to 3ft. Flat, pale sand.

450.7 Back on main road.

Goniaea australasiae, Coryphistes ruricola,
451.5 Patch of gummifera & consideniana
Peakesia brunnea, Monistria concinna,
(?) to 12ft surrounded by heath.

455.0 Joined Nowra - Currarong road.

455.8. Currarong camping ground.

456.3 Currarong P.O.

466.2 Point Perpendicular turn-off. Proceeded on Nowra road.

472.4. Gummifera, haemastoma, & scabra
Goniaea australasiae, Coryphistes ruricola,
to 50ft, with Casuarina sp. to 20ft + ~~[illegible]~~
Cryptobothrus chrysophorus, ! Heide amiculi, Psednura
mountain devil & other shrubs to 3ft,
musgravei, , Cirphula pyrrhocnemis
occ. Xanthorrhoea, a little grass, litter & bare ground under trees, many of which are of woodland form.

31/12. Currarong. Swampy blackish sand
Genus nov. 9 sp. 1, Phaulacridium vittatum,
adjacent to mangrove-lined estuary.
Paratettix argillaceus
E. botryoides & Casuarina sp. Forbs & rushes, some bare ground. Also slightly higher ground with sandstone exposures.

1/1/67 Currarong to Beecroft Head. Heath to various heights on sandstone with pale

musgravei
Genus nov. 9 sp. 1, Monistria concinna, Psednura
sandy soil. Various topography from
Heide amiculi, Paratettix spathulatus, Tetrix sp.,
somewhat swampy low-lying areas
Coryphistes ruricola
to rocky ridges. Tetrix on bare ground
under patch of E. botryoides, Casuarina,
etc. Monistria associated with two
Prostanthera marifolia R. Br. (?), Xanthosia pilosa Rudge (sens. lat.)
shrubs to 18 in. (specs.)
Paratettix
**14602** Praxibulus insolens, Cryptobothrus chrysophorus, argillaceus
**2/12.** [Endrick River (from Sassafras)
**605.** Nerriga

[plants det. M. Gray]